	•	•			Dart i	4erospac	e Lta.		
=		ay, 4/30/2007 7:24:12 AM ohnston	D (2+++			
٠			Process S	<u>Sheet</u>	01				
	Customer Job Number Estimate Number	: CU-DAR001 Dart Helicopters Services : 32115 : 12850	Dra	wing Name	: SHOULDER HAF	RNESS			
I	P.O. Number	AU:	Part	t Number	: D3579046				
I	This Issue	: 4/30/2007 S.O. No. : NA	Dra	wing Number	: D3579 REV A				
ı	Prsht Rev.	: NC		ject Number	: N/A				
l	First Issue	: MA Type : PURCHAS		wing Revision	: A : n/ ^				
ı	Previous Run	: 1/4:		erial Date	: 5/4/2007	Qty:	40 U	m: Ea	ich
l	Written By	- Star of	<u> </u>	Date	. 0/4/2007	٠.,٠	0		
ı	Checked & Approve	ed By :	27 II M						
ŀ	Comment		Z/ JLIVI						
l	Additional Product	•							
l									
	Job Number:								
ľ	Seq. #:	Machine Or Operation:	Desc	ription :					
İ	1.0	PG	PURCHASING						
l									
	Comme	ent: PURCHASING							
		Issue P/0:3467							
l		P/N:5-01-2J0701		107/04/0:	5 (40)				
		Possible supplier: Schoth Safty Proc	3000	. – , •	40)				
ŀ		Certficate of conformaty is required		ONICCO DI I				-	
	2.0	5012J0701	SHOULDER HAF	KNESS KH	Н				
	Comme	ent: Qty.: 1.0000 Each(s)/Unit Tota	al : 40.0000 Each(s)						
L		SHOULDER HARNESS LH							
l	3.0	PACKAGING 1	PACKAGING RE	SOURCE #1	131111111111	19 1 6 5 18 1 1 1 31 1			
l									
ŀ					1160(11111111				
	Comme	nt: PACKAGING RESOURCE #1		1	1	/ 7			
		Receive & Inspect For Transit Dama		117/	110	110/			
Ļ		Ensure certificate of conformity is at		TO CURRENT/STE	-5 4 11	40			_
	4.0	QC5	INSPECT WORK	. 10 CURREN y STE	Panted				
				- 1. A.	//)) 				
ŀ	Commo	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	10+·0:						
ŀ		INSPECT WORK TO CURRENT S	PACKAGING RE		P 1019				
	5.0	PACKAGING 1	PACKAGING RE	300NOE #1					
ĺ									
ŀ	Commo	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			1 111	()F111111111111			
	Confine	ent: PACKAGING RESOURCE #1 Identify and Stock	/	7 1	_	\			
		Location:		7/5/1	4 (40)			
1			1162	11 / 11	-, \ / -	,			

Dart Aerospace L	_td
------------------	-----

W/O:		WORK ORDER C	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			,						
								•	
Part No):	PAR #: Fault Category:	NCF	R: Yes	No DQ	A: 🛜	∑ Date: △	7/0.5/14	
				QA:	N/C Closed	d:	_ Date: _		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC	Corrective Action Section B		Verification	Annroyal	Approval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
						-				

NOTE: Date & initial all entries

Date:

Monday, 4/30/2007 7:24:12 AM

User: 1

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SHOULDER HARNESS

Job Number: 32115

Part Number: D3579046

Job Number:

Seq. #:

Machine Or Operation:

Description:

6.0

QC21



FINAL INSPECTION/W/O RELEASE

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospa	ace Ltd
--------------	---------


W/O:		WORK	ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
Part No	:	PAR #: Fault Category	NCR:	Yes No	DQA	:	Date:	
				QA: N/C	Closed	:	_ Date:	
		WORK ORDER I	NON-CONFORMANCE	(NCP)				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
•	Description of	Description of NC	Corrective Action Section B		Verification	Annessal	Ammerical			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
							i :			
							<u> </u>			

NOTE: Date & initial all entries



DESIGN	LE	DRAWN BY	DART AEROSPAG HAWKESBURY, ONTARIO,	
CHECK	ŒD	APPROVED ,,/	DRAWING NO.	REV. A
	B	-#	D3579	SHEET 1 OF 4
DATE		L	TITLE	SCALE
07.0	1.12		SHOULDER HARNESS	NTS
Α		07.01.12	NEW ISSUE	



D3579-041 SHOULDER HARNESS (SHOWN) D3579-042 SHOULDER HARNESS (OPPOSITE)

D3579-041/-042 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-02-9C5901 (D3579-041)

P/N 5-02-9C0901 (D3579-042)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-041/-042"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY


SUBJECT TO AMENDMENT WITHOUT NOTICE

NO.32US

Copyright @ 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSPA HAWKESBURY, ONTARK	
CHECKED	APPROVED ,	DRAWING NO.	REV. A
串		D3579	SHEET 2 OF 4
DATE	•	TMLE	SCALE
07.01.12		SHOULDER HARNESS	NTS



<u>D3579-043 SHOULDER HARNESS (SHOWN)</u> D3579-044 SHOULDER HARNESS (OPPOSITE)

D3579-043/-044 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-02-9L5901 (D3579-043) P/N 5-02-9L0901 (D3579-044)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-043/-044"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY RETURN TO

ENGINEERING UNCONTROLLED COPY


SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDERS

Copyright © 2007 by DART AEROSPACE LTD



	DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
	CHECKED	APPROVED ail	DRAWING NO.	REV. A
	上	All of	D3579	SHEET 3 OF 4
	DATE		TITLE	SCALE
Ì	07.01.12		SHOULDER HARNESS	NTS



D3579-045 SHOULDER HARNESS (SHOWN)
D3579-046 SHOULDER HARNESS (OPPOSITE)

D3579-045/-046 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION:

3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-01-2J5701 (D3579-045)

P/N 5-01-2J0701 (D3579-046)) SCHROTH SAFETY-PRODUCTS, Pempano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-045/-046"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY RETURN TO ENGINEERING


UNCONTROLLED COPY SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER

Copyright @ 2007 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAK	· · · — — · · · ·
CHECKED	APPROVED //	DRAWING NO.	REV. A
上	1 off	D3579	SHEET 4 OF 4
DATE		TITLE	SCALE
07.01.12		SHOULDER HARNESS	NTS



<u>D3579-047 SHOULDER HARNESS (SHOWN)</u> <u>D3579-048 SHOULDER HARNESS (OPPOSITE)</u>

D3579-047/-048 HARNESS ASSEMBLY NOTES:

1) DESCRIPTION: 3-POINT SHOULDER HARNESS WITH PUSH-BUTTON BUCKLE

MEETS REQUIREMENTS OF TSO-C114

CHROME HARDWARE PLATING AND BLACK WEBBING

2) PURCHASE INFO:

P/N 5-01-2M5701 (D3579-047) P/N 5-01-2M0701 (D3579-048)

SCHROTH SAFETY PRODUCTS, Pompano Beach, Fl.

3) ALL BELTS TO BE LABELLED PER FAR 21.607 USING LAMINATED TAGS
ADDITIONAL TEXT ON LABELS: "DART AEROSPACE LTD. P/N D3579-047/-048"

4) PART NUMBERS IN BRACKETS REPRESENT SUPPLIER (SCHROTH) PART NUMBERS

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. ==

Copyright © 2007 by DART AEROSPACE LTD

5/9/2007



Schroth Safety Products Corp.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Bill To

DART Aerospace Ltd 1270 Aberdeen St Hawkesbury, ON K6A 1K7

Canada

Ship To

DART Aerospace Ltd 1270 Aberdeen St

Hawkesbury, ON K6A 1K7

Canada

Phone: 613-632-3336 Fax: 613-632-4443

Order- Line	Description	The state of the s
DAR07007-7	5-01-2J5701 restraint 3-pt da40pay lb ba	Qty
	on,reel,601black,P/N D3579-045	t- 12 ea
	DART AEROSPACE LTD, 613-632-3336	
DAR07007-8	F/N D35/9-045	
BAN07007-8	5-01-2J0701 restraint,3-pt,da40pax,rh,bol on,reel,601black,PND3579-046	t- $\left(\frac{16 \text{ ea}}{1}\right) \left(\frac{1}{5}\right) \left(\frac{1}{5}\right)$
	DART AEROSPACE LTD, 613-632-3336 P/N D3579-046	
DAR07007-9	5-01-2M5701 restraint 3-	10
	pt,lh,reel,601black,P/N D3579-047	10 ea
	DART AEROSPACE LTD 613-632 2226	. :
14D07007 40	F/N D35/9-04/	
DAR07007-10	5-01-2M0701 restraint,3-	(10 ea)
· · · · · · · · · · · · · · · · · · ·	pt,th,reel,601black,P/N D3579-048	
٠.	DART AEROSPACE LTD, 613-632-3336 P/N D3579-048_	10/15/10
	Aircraft SN: Bell 205	

PO: PO00003467

Plating P.O.:

Webbing: 601 Black

Parts on SSPG PO 1008200

Notes:

DAR07007 - 7, 8, 9, 10.

Ship Via:

Fed-Ex

FOB:

1. Approving Natio	nal Aviation	2.								3. Form	Tracking	Number:
Authority/Co	intry:	A	TITI	JODI71	ED D	FIFAC	E CERTI	TIC	TATE			
FAA/UNITED	STATES	A	UII								DAR07	007-8
		<u> </u>		FAA Form	1 8130-3, AI	RWORTHINES	S APPROVAL TAC	G		C 1171	0 1 (0	
4. Organization Na	me and Addregs:	•								Number		ontract/Invoice
	PT 1662CI	E Sch	roth Safet	y Products, Corp.	1371 S.W	.8th St. Unit # 3. I	Pompano Beach Fl, 3.	3069		1 (UIII)	,	7007-8
6. Item: 7.	Description:		8. ,F	Part Number:	9.	Eligibility:*	10. Quantity:	11.	Serial/Batch Nu		12.	Status/Work:
	int,3-pt.,DA40 pax ,601 black	c,rh,bolt-	L	5-01-2J0701		N/A	16		Date Mfg.:05/07			NEW
13. Remarks: EXP	ORT TO CANADA	A <u>~</u>								_	4/6	
									12	/V [†] /		
14. Certifies the ite	ems identified ab	ove were	manufact	ured in conformity	y to:	19. 140	CFR 43.9 Return to S	ervice	Other reg	gulation s	pecified in	Block 13
_ ``	lesign data and a ved design data s			r safe operation.	. " .	and des Federal	es that unless otherwis scribed in Block 13 wa I Regulations, part 43 to service.	as accom	plished in accorda	nce with	Title 14, C	ode of
15 Authorized Sig	noture:	4		6. Approval/Autho) DMIR-511		.: 20. Authoriz	ed Signature:			21.	Approval/	Certificate No.:
17. Name (Typed o Antho	r Printed): ny B. LaPointe		1	8. Date (m/d/y): May/09/200	07	22. Name (T	yped or Printed):	, s [*]		23.	Date (m/d	***
					User/I	nstaller Respo	nsibilities					4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Where the user/ins	taller performs	work in ac	cordance	with the national	regulations	 of an airworthines	e authority to install (s authority different t components/assemblic	than the	airworthiness aut	hority of	the countr of the cou	y specified in ntry specified

SCHROTH Safety Products Corp. MATERIAL ACCEPTANCE TAG

			16
Part Number:	5-01-2J0701	Quantity:	
Serial Number:	05/07		9-046
Part	restraint,3-pt,da40pax,rh,bolt-on,reel	'PO IDISOC'1. MO	
Description:			
P.O./W.O.#	DAR07007-8		
Vendor/Shop:	Shop-Sw		
The second secon	J.Mansile		SSPC
Inspector:	5/8/07	Approval	
Date:		1,/00	005
	Form FQA 2000-3 Rev IR 1	****	4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -

5/9/2007

SAFETY PRODUCTS

Schroth Safety Products Corp.

1371 SW 8th Street, Unit 3 Pompano Beach, FL 33069

Ph: 954-784-3178

Fax: 954-784-3179

Bill To

DART Aerospace Ltd 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Ship To

DART Aerospace Ltd 1270 Aberdeen St Hawkesbury, ON K6A 1K7

Canada

Order- Line	Description 10- and the holt	Qty 20 ea
DAR07007-5	5-01-2J5701 restraint,3-pt,da40pax,lh,bolt- on,reel,601black,P/N D3579-045	
	DART AEROSPACE LTD, 613-632-3330	$\left(\right) $
DAR07007-6	5-01-2J0701 restraint,3-pt,da40pax,rn,bott-	24 ea // 1/8/\$U
	DART AEROSPACE LTD, 613-632-3330	32 ea
DAR07007-1	5-02-9C5901RevA restraint,3-pt,In,artic buckle,reel,601black,P/N D3579-	32 Ga
	041 DART AEROSPACE LTD, 613-632-3336	
DAR07007-3	P/N D3579-041 5-02-9L5901 restraint,3-pt,long,lh,artic buckle,reel,601black,P/N D3579-	10
	043 DART AEROSPACE LTD, 613-632-3336	
	PIN D3579-043	Plating P.O.:
	Aircraft SN: Bell 205	Webbing: 601 Black Parts on SSPG PO 1008200
		Tare on the second seco
	PO: PO00003467	

Notes:

DAR07007 - ONLY LINES 5, 6, 1, & 3

Ship Via:

Fed-Ex

FOB:

SCHROTH Safety Products Corp. MATERIAL ACCEPTANCE TAG

me and the fill said to	Harrier & Berger B. Berger	
Part Number	5-01-235701	20
Serial Number:	05/07 Quantity:	· · <u>· · · · · · · · · · · · · · · · · ·</u>
Part Description:	réstraint,3-pt,da40pax,lh,boit-on,resi,601black,P/N D	3579-045
P.O./W.O. #	64P07007-5	
Vendor/Shop:	Shop-Sw	
Inspector:	J.MZNS://2	
Date:	5/9/07 Approve	
	F FOA 2000-3 Pay 10 15/00	QC

SCHROTH Safety Products Corp.
MATERIAL ACCEPTANCE TAG

		THICE IAG	
Part Number:	5-01-2J0701		
Serial Number:	05/07		24
Part	The state of the s	Quantity:	
Description:	restraint, 3-pt, da40pax, rh, bolt-	on, reel, 601 black, PND3579	9-046
P.O./W.O. #			
Vendor/Shop:	DAROZOOTE Shop-Sun		
Inspector:	The state of the s		
Date:	J. Mansilla 5/9/02		SSPC
		Approval	QC

Form FQA 2000-3 Rev IR 11/00

1. Approving National Aviation Authority/Country: FAA/UNITED STATES	AUTHORIZE FAA FORM 8	D RELEASI 130-3, AIRWORTHINESS			rm Tracking Number: DAR07007-6		
4. Organization Name and Address:		To Office (Control (C	7M 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5. W	ork Order/Contract/Invoice		
PT 1662CE Sc	hroth Safety Products, Corp.	1371 S.W.8th St. Unit # 3. Po	mana Darah El 22060	Num			
6. Item: 7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity: 11.	Serial/Batch Number:	DAR07007-6 T12. Status/Work:		
1 Restraint,3-pt DA40 pax,rh,bolt- on,reel,601 black	5-01-2J0701	N/A	[24]	Date Mfg.:05/07	NEW		
13. Remarks: EXPORT TO CANADA							
				- もん	7		
14. Certifies the items identified above were	manufactured in conformity to): 19. \ 14 C	R 43.9 Return to Service	Other regulation	specified in Black 13		
14. Certifies the items identified above were manufactured in conformity to: Approved design data and are in a condition for safe operation. Don-approved design data specified in Block 13. Solution of the regulation specified in Block 13							
15. Authorized Signature:	16. Approval/Authoriz DMIR-511304		Signature:	21	1. Approval/Certificate No.:		
17. Name (Typed or Printed): Anthony B. LaPointe	18. Date (m/d/y): May/09/2007	22. Name (Typ	ed or Printed):	23	3. Date (m/d/y)+		
User/fristaller Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts parts/components/assemblies from the airworthiness authority of the country specified in Block1. Statements in Blocks 14 and 19 do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

FAA Form 8130-3 (6-01)

*Installer must cross-check eligibility with applicable technical data.

NSN: 0052-00-012-9005